

Technologies to Meet New Bunker Fuel Specifications

Table of Contents

A Report by **NexantThinking™**

Process Evaluation/Research Planning (PERP) Program

PERP Report 2017S7 – Published June 2017

www.nexantthinking.com

Section	Page
1 Executive Summary	1
1.1 OVERVIEW	1
1.1.1 Introduction.....	1
1.1.2 Regulatory Developments	1
1.2 TECHNOLOGY OPTIONS	3
1.2.1 Refiners' Technology Options	3
1.2.2 Exhaust Gas Scrubbing	4
1.2.3 LNG as Alternative Fuel	5
1.3 ECONOMIC ANALYSIS	6
1.3.1 Refining Margin Estimation Analysis	6
1.3.2 Residue Desulfurization Economics.....	6
1.3.3 Ebullated Bed and Slurry Phase Hydrocracking	7
1.3.4 Marine Fuel Cost Economics	8
1.4 MARKET OVERVIEW	10
1.4.1 Global Residual Fuel Oil Market Dynamics.....	10
1.4.2 Global Bunker Fuel Market Dynamics.....	10
2 Introduction.....	13
2.1 BACKGROUND OF BUNKER FUELS.....	13
2.1.1 Bunker Fuel Market.....	13
2.1.2 Marine Fuel Oil Quality Specifications	13
2.1.3 Refinery Product Blending	17
2.2 REGULATORY DEVELOPMENTS	18
2.2.1 Implementation of the Global Sulfur Regulation	21
2.2.2 Enforcement of the Global Sulfur Regulation.....	23
2.3 STRATEGIC AND BUSINESS CONSIDERATIONS	24
2.3.1 Ship Owner's Options.....	24
2.3.2 Refiner's Options.....	25

3	Refiners' Technology Options	26
3.1	INTRODUCTION.....	26
3.2	CONVENTIONAL LOW SULFUR FUEL OIL TECHNOLOGIES	27
3.2.1	Chevron Lummus Global RDS/VRDS Processes	27
3.2.2	UOP RCD Unionfining™ Process	31
3.2.3	Axens Hyvahl™ Process.....	35
3.3	RESIDUE UPGRADING TECHNOLOGIES.....	39
3.3.1	Well-Established Technologies	39
3.4	NEW TECHNOLOGIES	54
3.4.1	Chevron Lummus Global LC-SLURRY® Process	54
3.4.2	ENI Slurry Technology (EST) Process.....	58
3.4.3	UOP Uniflex™ Process.....	62
3.4.4	KBR Veba Combi-Cracking Process (VCC™).....	68
3.4.5	Intevep HDH Plus®.....	73
4	Exhaust Gas Scrubbing Technologies	74
4.1	INTRODUCTION.....	74
4.1.1	IMO Exhaust Gas Cleaning Guidelines.....	74
4.2	WET SCRUBBING TECHNOLOGY.....	76
4.2.1	Technology Overview.....	76
4.2.2	DuPont™ Marine Scrubber.....	78
4.2.3	Clean Marine EGCS.....	81
4.2.4	CR Ocean Engineering LLC (CROE).....	83
4.2.5	Green Tech Marine® (GTM) Scrubber	85
4.2.6	Alfa Laval PureSO _x	85
4.2.7	Wärtsilä SO _x Scrubber	86
4.2.8	SAACKE EGCS-HM Scrubber	88
4.2.9	Ecospray ECO-EGC™ Scrubbing System.....	89
4.3	OTHER MARINE SCRUBBING OPTIONS	90
4.3.1	Dry Scrubbers	90
4.3.2	Membrane Scrubbers.....	91
4.4	NOX REDUCTION TECHNOLOGY	91
4.4.1	Exhaust Gas Recirculation System.....	91
4.4.2	Selective Catalytic Reduction.....	92
5	LNG as Alternative Fuel	93
5.1	INTRODUCTION.....	93
5.1.1	LNG Characteristics	94
5.1.2	Current Marine LNG Use	94
5.2	ENGINE TECHNOLOGY	99
5.2.1	Spark Ignited Lean-Burn Engines	99
5.2.2	Dual-fuel Engines	99
5.2.3	Miller Cycle.....	100
5.2.4	Engine Manufacturers	101

5.2.5	Engine Conversions	104
5.3	LNG STORAGE	105
5.3.1	Volume Considerations	105
5.3.2	Storage Technology Options.....	105
5.4	LNG INFRASTRUCTURE	106
5.4.1	Infrastructure Requirements.....	106
5.4.2	Regulations and Standards.....	112
5.5	METHANOL AS ALTERNATIVE FUEL.....	113
5.5.1	Stena Line Ferry Conversion	113
5.5.2	Dual-fuel Methanol Engine	113
6	Economic Analysis	114
6.1	INTRODUCTION.....	114
6.1.1	Economic Basis.....	114
6.1.2	Investment Basis	114
6.1.3	Costs Basis	115
6.1.4	Refining Price Basis	115
6.1.5	Marine Fuel Price Basis	116
6.2	REFINING MARGIN ESTIMATION ANALYSIS.....	117
6.2.1	Residue Desulfurization Unit.....	117
6.2.2	Ebullated Bed Residue Upgrading	123
6.2.3	Slurry Phase Hydrocracking Unit	127
6.2.4	Delayed Coking	130
6.3	MARINE FUEL RELATED COSTS	137
6.3.1	South East Asia Conventional Fuels	137
6.3.2	Western Europe Conventional Fuels	137
6.3.3	South East Asia Scrubber Cost Analysis	137
6.3.4	Western Europe Scrubber Cost Analysis.....	138
6.3.5	South East Asia LNG Cost Analysis	138
6.3.6	Western Europe LNG Cost Analysis	138
6.3.7	Results Summary	138
6.4	CONCLUSIONS	145
6.4.1	Refining Conclusions.....	145
6.4.2	Marine Fuel Cost Conclusions	147
7	Market Outlook	149
7.1	GLOBAL RESIDUAL FUEL OIL MARKET OVERVIEW	149
7.1.1	Introduction.....	149
7.1.2	Global Residual Fuel Oil Market Dynamics.....	149
7.1.3	Global Residual Fuel Oil Quality Trends	153
7.2	GLOBAL BUNKER FUEL MARKET OVERVIEW	155
7.2.1	Introduction.....	155
7.2.2	Global Bunker Fuel Market Dynamics.....	155
8	Glossary	163

9	References	165
Appendix		Page
A	Definitions of Capital Cost Terms Used in Process Economics.....	A-1
B	Definitions of Operating Cost Terms Used in Process Economics	B-1
C	PERP Title Index	C-1

Figure	Page
1.1 Bunker Fuel Sulfur Content Limits	2
1.2 Residue Hydroprocessing Technology Selection.....	3
1.3 Vacuum Residue Hydrocracking Profitability	7
1.4 Total Fuel Related Cost Comparison	8
1.5 Total Fuel Related Cost Comparison	9
1.6 Global Bunker Fuel Demand by Fuel Type, 2000-2035.....	12
2.1 Bunker Fuel Sulfur Content Limits	18
2.2 MARPOL Annex VI NOx Emission Limits	20
2.3 Existing and Future Sulfur Emission Map	21
3.1 Residue Hydroprocessing Technology Selection.....	26
3.2 Simplified Flow Scheme for CLG's RDS/ VRDS Technology)	29
3.3 On Stream Catalyst Replacement (OCR) Withdrawal and Addition System	30
3.4 Simplified Process Flow Scheme for UOP's RCD Unionfining™ Process Unit	33
3.5 Simplified Hyvahl Process Reactor System Flow Scheme	37
3.6 LC-MAX Block Flow Diagram.....	42
3.7 CLG LC-FINING Simplified Process Flow Scheme	43
3.8 Schematic of LC-FINING Reactor	44
3.9 Typical Two-Stages H-OilRC Configuration.....	49
3.10 H-Oil Ebullated bed Reactor.....	50
3.11 CLG LC-SLURRY Simplified Flow Scheme	56
3.12 EST Simplified Process Flow Diagram	60
3.13 UOP Uniflex Simplified Process Flow Scheme	64
3.14 Simplified VCC Process Flow Scheme	70
4.1 Open Loop Scrubber Flow Scheme	77
4.2 Closed Loop Scrubber Flow Scheme.....	79
4.3 DuPont™ Marine Scrubber	80
4.4 Clean Marine EGCS System.....	82
4.5 CROE Scrubber	84
4.6 Alfa Laval PureSOx U-Design Scrubber	86
4.7 Wärtsilä V-SOx Scrubber Unit.....	87
4.8 SAACKE EGCS-HM Hybrid Multistream Scrubber	89
4.9 Ecospray ECO-SOx DeSOx Tower 5.0.....	90
5.1 Existing LNG Fueled Vessels.....	93
5.2 LNG Ships in the Confirmed Orderbook	93

5.3	LNGC Fleet in Service and On Order by Propulsion Type, August 2016	95
5.4	Gas Engine Technology	96
5.5	Gas Engine Technology	96
5.6	Wärtsilä 50DF Engine	101
5.7	WinGD X72DF	102
5.8	Rolls-Royce C26:33L9	103
5.9	MAN 35/44DF Engine	104
5.10	Diesel to LNG Engine Conversion Cost Breakdown	105
5.11	LNG Supply Chain.....	108
5.12	LNG Bunker Delivery Options	110
5.13	Ship-to-Ship LNG Bunkering at Port of Gothenburg	111
6.1	LSFO and LSSR Differentials to HSFO	122
6.2	ROCE Variability with LSFO Premium	123
6.3	Variability in ROCE for Axens H-Oil Ebullated Bed Residue Upgrading Unit	125
6.4	Variability in ROCE for an UOP Uniflex Slurry Phase Hydrocracking Unit	127
6.5	Variability in ROCE for Delayed Coking Unit	134
6.6	Total Fuel Related Cost Comparison	143
6.7	Total Fuel Related Cost Comparison	144
6.8	LSFO Premium Sensitivity, 2020 Sulfur Regulations.....	145
6.9	Vacuum Residue Hydrocracking Profitability	146
6.10	Residue Upgrading Profitability Trends.....	147
7.1	Residual Fuel Oil Demand Split by Region, 2016	150
7.2	Global Residual Fuel Oil Demand by Region, 2010-2035	151
7.3	Incremental Residual Fuel Oil Demand by Region, 2016-2035.....	152
7.4	Residual Fuel Oil Net Trade by Region, 2010-2035	153
7.5	Global Bunker Fuel Demand by Region, 2010-2035	156
7.6	Global Bunker Fuel Demand by Fuel Type, 2000-2035.....	157
7.7	Global Bunker Fuel Demand by Fuel Type, 2000-2035.....	157
7.8	High Sulfur Residual Fuel Oil (HSFO) Demand as Bunker Fuel, 2010-2035	159
7.9	Low Sulfur Residual Fuel Oil (LSFO) Demand as Bunker Fuel, 2010-2035.....	160
7.10	Diesel/Gas Oil Demand as Bunker Fuel, 2010-2035	160
7.11	LNG Demand as Bunker Fuel, 2010-2035.....	161
7.12	Case 2 – Global Bunker Fuel Demand by Fuel Type, 2010-2035	162
7.13	Case 2 – Global Bunker Fuel Demand by Fuel Type, 2010-2035	162

Table	Page
2.1 Marine Distillate Fuel Specifications	14
2.2 Marine Residual Fuel Specifications	15
2.3 Comparison CE Delft and Ensys Studies.....	19
2.4 Fines Imposed by Flag States.....	23
2.5 Comparison of Ship Owner’s Options	24
2.6 Comparison of Refiner’s Options	25
3.1 CLG Residuum Hydrotreating Licensees	31
3.2 RCD Unionfining Process Feedstock Properties	34
3.3 RCD Unionfining Process Product Yields	34
3.4 RCD Unionfining™ Process Product Qualities	35
3.5 Hyvahl Process Feedstock and Hydrotreated Residue Properties	38
3.6 Hyvahl Unit Reference List.....	39
3.7 LC-FINING Product Yields Arabian Heavy Vacuum Residue Feed – 81 vol. % Conversion.....	45
3.8 LC-FINING Product Qualities Arabian Heavy Vacuum Residue Feed – 81 vol. % Conversion.....	45
3.9 LC-MAX Product Yields, Arab Heavy/Light Vacuum Residue Feed – 91 vol. % Conversion	45
3.10 LC-MAX Product Qualities	46
3.11 LC-FINING/LC-MAX Commercial Experience	46
3.12 H-Oil Unit Product Yields.....	51
3.13 H-Oil Unit Product Qualities	52
3.14 H-Oil Unit Bunker Fuel Product.....	52
3.15 H-Oil Units in Operation	52
3.16 Delayed Coker Yields of Arabian Light-derived Vacuum Residue.....	53
3.17 LC-SLURRY Process Feedstock Properties.....	57
3.18 LC-SLURRY Product Yield and Product Qualities	57
3.19 LC-SLURRY Commercial Experience List	58
3.20 Feedstocks (Atm /Vacuum Resids) Processed in EST Pilot/Demonstration Unit.....	61
3.21 EST Complex Typical Product Quality after Upgrading	61
3.22 Uniflex Process Feedstock Properties	65
3.23 Uniflex Process Product Yields	66
3.24 Uniflex Product Properties.....	67
3.25 List of UOP Uniflex Licenses.....	68
3.26 Typical VCC Overall Yields and Product Qualities.....	71
3.27 Licensees List.....	72

4.1	Emission Ratio Limits for Fuel Oil Sulfur Content	74
4.2	PAH Concentration Limit for Varying Flow Rates	76
4.3	Example Performance for a DuPont™ Marine Scrubbing System	81
4.4	Clean Marine Completed and Ongoing Projects.....	83
4.5	Installed or On Order CROE Scrubbers.....	84
4.6	V-SOx versus I-SOx Scrubbers.....	87
4.7	WÄRTSILÄ EGC Scrubbers-References	88
5.1	LNG Powered Vessels as of March, 2016	97
5.2	Comparison of Four-Stroke versus Two-Stroke Engines.....	100
5.3	Characteristics of Different Scale LNG Terminals.....	107
6.1	Price and Utility Basis for Refining Analyses	116
6.2	Price and Utility Basis for Marine Fuel Analyses.....	117
6.3	Margin Estimation for UOP RCD Unionfining Residue Desulfurization Unit (Location: USGC)...	118
6.4	Margin Estimation for UOP RCD Unionfining Residue Desulfurization Unit (Location: SEA)...	120
6.5	Margin Estimation for UOP RCD Unionfining Residue Desulfurization Unit (Location: WE)	121
6.6	H-Oil Unit Vacuum Residue Feedstock Properties	123
6.7	Margin Estimation for Axens H-Oil Ebullated Bed Hydrocracking Unit (Location: USGC)	124
6.8	Margin Estimation for Axens H-Oil Ebullated Bed Hydrocracking Unit (Location: SEA).....	126
6.9	Margin Estimation for Axens H-Oil Ebullated Bed Hydrocracking Unit (Location: WE)	128
6.10	Margin Estimation for UOP Uniflex Slurry Phase Hydrocracking Unit (Location: USGC).....	129
6.11	Margin Estimation for UOP Uniflex Slurry Phase Hydrocracking Unit (Location: SEA).....	131
6.12	Margin Estimation for UOP Uniflex Slurry Phase Hydrocracking Unit (Location: WE)	132
6.13	Margin Estimation for Delayed Coking Unit (Location: USGC).....	133
6.14	Margin Estimation for Delayed Coking Unit (Location: SEA)	135
6.15	Margin Estimation for Delayed Coking Unit (Location: WE)	136
6.16	Hybrid Scrubber (36 MW Engine, 5% ECA, Location: SEA).....	139
6.17	Hybrid Scrubber (36 MW Engine, 5% Closed Loop, Location: WE)	140
6.18	LNG Dual-Fuel Engine (36 MW Engine, 5% ECA, Location: SEA)	141
6.19	LNG Dual-Fuel Engine (36 MW Engine, 5% ECA, Location: WE).....	142
7.1	Global Residual Fuel Oil Demand by Region, 2010-2035	151
7.2	Global Bunker Fuel Demand by Region, 2010-2035	155

Nexant Thinking™

Process Evaluation/Research Planning



The NexantThinking™ Process Evaluation/Research Planning (PERP) program is recognized globally as the industry standard source for information relevant to the chemical process and refining industries. PERP reports are available as a subscription program or on a single report basis.

Contact Details:

Americas:

Marcos Nogueira Cesar, Vice President, Global Products, E&CA: Nexant Thinking™
Phone: + 1-914-609-0324, e-mail: mcesar@nexant.com

Erica Hill, Client Services Coordinator, E&CA-Products
Phone: + 1-914-609-0386, e-mail: ehill@nexant.com

EMEA:

Anna Ibbotson, Director, NexantThinking
Phone: +44-207-950-1528, aibbotson@nexant.com

Asia:

Chommanad Thammanayakatip, Managing Consultant, Energy & Chemicals Advisory
Phone: +66-2793-4606, email: chommanadt@nexant.com

Nexant, Inc. (www.nexant.com) is a leading management consultancy to the global energy, chemical, and related industries. For over 38 years, Nexant has helped clients increase business value through assistance in all aspects of business strategy, including business intelligence, project feasibility and implementation, operational improvement, portfolio planning, and growth through M&A activities. Nexant has its main offices in San Francisco (California), White Plains (New York), and London (UK), and satellite offices worldwide.

Copyright © by Nexant Inc. 2017. All Rights Reserved.