

Nexant Thinking™

Special Reports

Municipal Solid Waste: Using Our Refuse

April 2014



This Report was prepared by Nexant, Inc. ("Nexant") and is part of the NexantThinking™ suite. Except where specifically stated otherwise in this Report, the information contained herein is prepared on the basis of information that is publicly available, and contains no confidential third party technical information to the best knowledge of Nexant. Aforesaid information has not been independently verified or otherwise examined to determine its accuracy, completeness or financial feasibility. Neither Nexant, Subscriber nor any person acting on behalf of either assumes any liabilities with respect to the use of or for damages resulting from the use of any information contained in this Report. Nexant does not represent or warrant that any assumed conditions will come to pass.

The Report is submitted on the understanding that the Subscriber will maintain the contents confidential except for the Subscriber's internal use. The Report should not be reproduced, distributed or used without first obtaining prior written consent by Nexant. Each Subscriber agrees to use reasonable effort to protect the confidential nature of the Report.

Copyright © by Nexant Inc. 2014. All rights reserved.

Contents

| Section | Page |
|--|------|
| 1 Executive Summary | 1-1 |
| 1.1 DEFINITION | 1-1 |
| 1.2 MSW CHARACTERISTICS AND TRENDS | 1-1 |
| 1.3 MSW – AN IMPORTANT RESOURCE | 1-5 |
| 1.3.1 Environmental Drivers | 1-6 |
| 1.3.2 Economic Drivers | 1-7 |
| 1.3.3 Policy Drivers | 1-7 |
| 1.4 MSW DISPOSITION METHODS | 1-9 |
| 1.5 BIO-RENEWABLES - TECHNOLOGIES AND ECONOMICS | 1-14 |
| 1.5.1 Anaerobic Digestion | 1-14 |
| 1.5.2 Gasification..... | 1-17 |
| 1.5.3 Pyrolysis | 1-22 |
| 1.6 SUMMARY | 1-25 |
| 2 Introduction..... | 2-1 |
| 2.1 DEFINITIONS..... | 2-1 |
| 2.2 MSW CHARACTERISTICS AND TRENDS | 2-2 |
| 2.2.1 MSW Generation..... | 2-3 |
| 2.2.2 MSW Composition..... | 2-4 |
| 2.2.3 MSW Collection..... | 2-4 |
| 2.2.4 MSW Disposition | 2-6 |
| 2.3 MSW - AN IMPORTANT RESOURCE..... | 2-11 |
| 2.3.1 Environmental Drivers | 2-12 |
| 2.3.2 Economic Drivers | 2-12 |
| 2.3.3 Policy Drivers | 2-14 |
| 2.3.4 Landfilling | 2-16 |
| 3 MSW Management..... | 3-1 |
| 3.1 WASTE MANAGEMENT FUNDAMENTALS | 3-1 |
| 3.2 IMPLEMENTATION OF MSW COLLECTION AND MANAGEMENT..... | 3-2 |
| 3.3 WASTE REDUCTION AND REUSE | 3-2 |
| 3.4 RECYCLING | 3-4 |
| 3.4.1 Resource Recycling via MRF | 3-5 |
| 3.5 COMPOSTING..... | 3-15 |
| 3.6 WASTE-TO-ENERGY (WTE)..... | 3-16 |

| | | |
|-----|---|------|
| 3.7 | LANDFILLING | 3-19 |
| | 3.7.1 Types of Landfills | 3-19 |
| | 3.7.2 Landfill Tipping Fees | 3-21 |
| 4 | Bio-Renewables - Technologies and Economics..... | 4-1 |
| 4.1 | ANAEROBIC DIGESTION | 4-1 |
| | 4.1.1 Technology Overview..... | 4-2 |
| | 4.1.2 Commercial AD Technologies..... | 4-10 |
| | 4.1.3 System Selection Criteria..... | 4-22 |
| | 4.1.4 Economics..... | 4-24 |
| | 4.1.5 Status of AD technology..... | 4-28 |
| 4.2 | GASIFICATION | 4-29 |
| | 4.2.1 Overview | 4-29 |
| | 4.2.2 Electricity Generation | 4-36 |
| | 4.2.3 Ethanol | 4-40 |
| | 4.2.4 Fischer-Tropsch Liquids – Jet Fuel | 4-46 |
| | 4.2.5 Dimethyl Ether..... | 4-52 |
| 4.3 | PYROLYSIS | 4-55 |
| | 4.3.1 Overview | 4-55 |
| | 4.3.2 Technology Developers | 4-66 |
| | 4.3.3 Economics..... | 4-69 |
| 4.4 | FERMENTATION | 4-72 |
| | 4.4.1 Overview | 4-72 |
| | 4.4.2 Technologies | 4-76 |
| 4.5 | INDIRECT WASTE FERMENTATION (VIA BIOSYNGAS) | 4-77 |
| | 4.5.1 Technologies | 4-77 |
| 4.6 | CHEMICAL CONVERSION..... | 4-80 |
| | 4.6.1 Micromidas - Waste to <i>para</i> -Xylene | 4-80 |
| | 4.6.2 Renmatix - Supercritical Hydrolysis Process | 4-83 |
| | 4.6.3 The Biofine Process | 4-84 |
| 4.7 | CONCLUSION | 4-86 |
| 5 | Glossary | 5-1 |
| 5.1 | GLOSSARY OF UNITS..... | 5-1 |
| 5.2 | GLOSSARY OF TERMS..... | 5-2 |

| Appendix | Page |
|--|-------------|
| A Map of Income Distribution..... | A-1 |
| B Countries Listed by Income Categories | B-1 |
| C MSW Generation by Country (2012 and 2025)..... | C-1 |
| D MSW Compositions by Country | D-1 |
| E Methodology for Economics | E-1 |

| Figure | Page |
|--|-------------|
| 1.1 MSW generation (2012 and 2025) | 1-2 |
| 1.2 MSW Composition Outlook | 1-3 |
| 1.3 MSW Collection Efficiencies based on Income Level | 1-4 |
| 1.4 Worldwide Disposition Methods for MSW | 1-5 |
| 1.5 Inputs and Outputs of Waste Management Process | 1-6 |
| 1.6 Waste Management Hierarchy..... | 1-9 |
| 1.7 U.S. MSW Recycled versus Discarded..... | 1-10 |
| 1.8 Cost for producing RDF from MSW | 1-12 |
| 1.9 Waste Conversion Technologies | 1-13 |
| 1.10 MSW Landfill Tipping Fees in the U.S. | 1-14 |
| 1.11 Basic Anaerobic Digestion System Flow Diagram | 1-15 |
| 1.12 Production Cost for Biogas via Anaerobic Digestion of MSW | 1-17 |
| 1.13 Gasification Process Flow Diagram | 1-18 |
| 1.14 Chemicals and Fuels from Syngas | 1-19 |
| 1.15 Cost of Production for RDF to Electricity..... | 1-20 |
| 1.16 Cost of Production for RDF to Ethanol..... | 1-21 |
| 1.17 Cost of Production for RDF to Jet Fuel | 1-21 |
| 1.18 Cost of Production for RDF to DME | 1-22 |
| 1.19 Pyrolysis Process Flow Diagram..... | 1-23 |
| 1.20 RDF Pyrolysis to Fuel Blend | 1-25 |
| 2.1 MSW Generation Outlook | 2-3 |
| 2.2 MSW Composition Outlook | 2-4 |
| 2.3 MSW Collection Efficiencies based on Income Level | 2-6 |
| 2.4 MSW Disposition in Low Income Countries | 2-7 |
| 2.5 MSW Disposition in Middle Income Countries | 2-8 |
| 2.6 MSW Disposition in High Income Countries | 2-9 |
| 2.7 Worldwide Disposition Methods for MSW | 2-10 |
| 2.8 Inputs and Outputs of Waste Management Process | 2-11 |
| 2.9 United States Annual MSW Disposition | 2-16 |
| 2.10 Spectrum of European Regional National MSW Disposition | 2-17 |
| 3.1 Waste Management Hierarchy..... | 3-1 |
| 3.2 A Public Recycling Site | 3-4 |
| 3.3 Block Diagram of a Typical MRF System..... | 3-6 |
| 3.4 Daniel P. Thomas Material Recovery Facility, Yonkers, New York | 3-7 |
| 3.5 ZWE’s BHS (Bulk Handling Systems) Typical MRF Equipment | 3-7 |

| | | |
|------|--|------|
| 3.6 | Material Balance for a Dirty MRF | 3-12 |
| 3.7 | U.S . RDF COP Sensitivity to MSW Tipping Fees | 3-15 |
| 3.8 | Windrow Composting | 3-16 |
| 3.9 | Waste Conversion Technologies | 3-17 |
| 3.10 | Schematic of WTE Mass Burn Facility | 3-18 |
| 3.11 | Wheelabrator Croton on Hudson, NY WTE Facility | 3-19 |
| 3.12 | Modern Sanitary Landfill..... | 3-20 |
| 3.13 | A Typical Open Dump Site | 3-21 |
| 3.14 | U.S. MSW Landfill Tipping Fees by Year | 3-22 |
| 4.1 | Basic Anaerobic Digestion System Flow Diagram | 4-2 |
| 4.2 | Anaerobic Digestion Process | 4-3 |
| 4.3 | Typical Biogas Composition (by Volume) | 4-5 |
| 4.4 | Material Flow in an AD system..... | 4-6 |
| 4.5 | Energy Flow in an AD System..... | 4-6 |
| 4.6 | Biogas Yield m3/Ton of Feedstock | 4-7 |
| 4.7 | Spectrum for Solid Content in AD System | 4-8 |
| 4.8 | A Typical AD Process Flow Diagram | 4-11 |
| 4.9 | SMARTFERM Dry AD System | 4-12 |
| 4.10 | The Kompogas System | 4-14 |
| 4.11 | Valorga Process Diagram | 4-15 |
| 4.12 | Process Scheme of BTA Single Stage Reactor | 4-16 |
| 4.13 | Process Scheme of BTA Multi-stage Reactor | 4-17 |
| 4.14 | Linde High Solids Digestion | 4-18 |
| 4.15 | Schematic of Maltin System | 4-19 |
| 4.16 | Linde Wet Digestion | 4-20 |
| 4.17 | The WASSA Process Diagram..... | 4-21 |
| 4.18 | Biogas COP Sensitivity to Capital Investment | 4-27 |
| 4.19 | Biogas COP Sensitivity to U.S. MSW Tipping Fees | 4-27 |
| 4.20 | Generic Gasification Process Train | 4-31 |
| 4.21 | Schematic Diagram of a Downdraft Reactor..... | 4-32 |
| 4.22 | Schematic Diagram of BFB Reactor | 4-32 |
| 4.23 | Schematic Diagram of an Entrained-flow Reactor | 4-33 |
| 4.24 | Schematic Diagram of an Plasma-assisted Gasification | 4-33 |
| 4.25 | Chemicals and Fuels from Syngas | 4-35 |
| 4.26 | Gasification Power Generation Plant Model Basis..... | 4-37 |
| 4.27 | U.S. Levelized Cost of Energy Benchmark | 4-39 |
| 4.28 | Electricity Generation Cost Sensitivity to RDF | 4-40 |

| | |
|--|------|
| 4.29 RDF to Ethanol and Mixed Alcohols Process Overview | 4-40 |
| 4.30 Flow Diagram of InEnTec PEM Gasifier Process | 4-42 |
| 4.31 Alter NRG Plasma Gasifier..... | 4-44 |
| 4.32 Ethanol Price Sensitivity to RDF Feedstock Price | 4-44 |
| 4.33 FT SPK Process Overview..... | 4-46 |
| 4.34 Solena Process Overview | 4-47 |
| 4.35 Solena Gasification Reactor..... | 4-48 |
| 4.36 Gasification and Synthesis Chemistry..... | 4-49 |
| 4.37 U.S. Gasification+FT derived Jet fuel Sensitivity to MSW Tipping Fee | 4-52 |
| 4.38 Bio-Gasification to DME Plant Model Basis | 4-53 |
| 4.39 DME Sensitivity to MSW Tipping Fees | 4-55 |
| 4.40 Simplified Pyrolysis Process | 4-56 |
| 4.41 Process Flow Diagram for Fast Pyrolysis | 4-58 |
| 4.42 Schematic of a Bubbling Fluidized Bed Reactor | 4-59 |
| 4.43 Schematic of Circulating Bed Reactor | 4-60 |
| 4.44 Schematic of Rotating Cone Reactor..... | 4-61 |
| 4.45 Schematic of Auger Reactor | 4-62 |
| 4.46 Upgrading Options for Pyrolysis Oil | 4-65 |
| 4.47 Summary of Dynamotive’s Development in Pyrolysis Oil Upgrading | 4-66 |
| 4.48 Slow Pyrolysis Technology..... | 4-68 |
| 4.49 Fast Pyrolysis Mass Balance | 4-69 |
| 4.50 Hydroprocessing Mass Balance..... | 4-69 |
| 4.51 U.S. RDF Pyrolysis derived Naphtha-Diesel Blendstock Sensitivity to MSW Tipping Fee.... | 4-70 |
| 4.52 MSW Fermentation Process Overview | 4-72 |
| 4.53 300-ton Pre-commercial Plant at Baosteel Mill near Shanghai..... | 4-78 |
| 4.54 ABBK Cellulosic Ethanol Biorefinery – Hugoton, KS | 4-79 |
| 4.55 Micromidas Process | 4-80 |
| 4.56 Micromidas CMF to DMF Reactor..... | 4-82 |
| 4.57 Micromidas <i>para</i> -Xylene Distillation | 4-83 |
| 4.58 Renmatix Process | 4-84 |
| 4.59 Biofine Process Block Flow Diagram | 4-85 |
| A.1 Map of Income Distribution..... | A-2 |

| Table | Page |
|---|-------------|
| 1.1 Waste Types and Typical Components | 1-1 |
| 1.2 Income Categories for Countries | 1-1 |
| 1.3 GHG Benefits Associated MSW Recovery | 1-7 |
| 1.4 Estimated Solid Waste Management Costs for 2010 and 2025 | 1-7 |
| 1.5 Recyclables and RDF Streams from MSW Components | 1-11 |
| 1.6 Market Price for Recyclables..... | 1-11 |
| 1.7 Commercial AD Technologies..... | 1-16 |
| 1.8 Typical Operating Parameters for Pyrolysis Processes | 1-24 |
| 2.1 Waste Types and Typical Components | 2-1 |
| 2.2 Income Categories for Countries | 2-2 |
| 2.3 GHG Benefits Associated MSW Recovery | 2-12 |
| 2.4 Estimated Solid Waste Management Costs for 2010 and 2025 | 2-13 |
| 3.1 Selected Examples of Source Reduction and Reuse Practices | 3-3 |
| 3.2 RDF from MSW Components..... | 3-11 |
| 3.3 Market Price for Recyclables..... | 3-13 |
| 3.4 Cost of Production for RDF Process: MSW Separation..... | 3-14 |
| 3.5 Landfill Classifications | 3-20 |
| 3.6 U.S. Landfill Tipping Fees | 3-22 |
| 3.7 Landfill Tipping Fees in Europe by Country | 3-24 |
| 4.1 Biogas Composition for Different Substrates | 4-4 |
| 4.2 Biogas Potential of Different Feedstocks | 4-6 |
| 4.3 Batch versus Continuous AD System | 4-8 |
| 4.4 Anaerobic Digestion Operating Parameters..... | 4-9 |
| 4.5 Single Stage vs. Multi Stage AD System | 4-9 |
| 4.6 Commercial AD Technologies..... | 4-22 |
| 4.7 Biogas Yield of AD Designs Treating MSW | 4-23 |
| 4.8 AD System Parameters..... | 4-25 |
| 4.9 Cost of Production Estimate for: Biogas Produced Using Anaerobic Digestion Process: Anaerobic Digestion for Biogas | 4-26 |
| 4.10 Typical Metrics of Various Gasifier Types..... | 4-34 |
| 4.11 Cost of Production Estimate for: Electricity Generation Plasma Gasification and Turbine.... | 4-38 |
| 4.12 Cost of Production Estimate for: Ethanol Gasification and Catalytic Alcohol Synthesis | 4-45 |
| 4.13 Cost of Production Estimate for: SPK Bio-Jet Process: Gasification followed by FT | 4-51 |
| 4.14 Cost of Production Estimate for: Dimethyl Ether..... | 4-54 |
| 4.15 Typical Operating Parameters for Pyrolysis Processes | 4-57 |

| | |
|---|------|
| 4.16 Comparison between Crude Mineral Oil and Pyrolysis Oil Composition | 4-64 |
| 4.17 Expected Yield and Upgraded Pyrolysis Process | 4-68 |
| 4.18 Cost of Production Estimate for RDF to Naphtha/Diesel Blendstocks Process: Fast Pyrolysis followed by Hydrotreatment | 4-71 |
| 4.19 Pretreatment Hydrolyzer Reactions and Conversions | 4-73 |
| 4.20 SSF Fermentation Reactions and Conversions | 4-76 |
| 4.21 Production SSF Saccharification Reactions and Conversion | 4-76 |